


Distribution range

- From India, eastward up to Palawan (Philippines) and Taiwan, Southern China in the north.
- Confirmed from India, Nepal, Bhutan, Bangladesh, Myanmar, south China and Hainan Islands, Thailand, Laos PDR, Brunei, Malaysia, Vietnam, Indonesia, Taiwan and Philippines.
- In recent years, in England it has established itself in the wild after escaping from captivity (Jefferies 1990 & 1991).


Subspecies


- Aonyx cinereus concolor occurs in Himalayas from Kulu eastward to Assam, Meghalaya and upper Burma, locality type Garo hills of Meghalaya
- Aonyx cinereus nirnai occurs in hill ranges of southern India, locality type Virajpet of south Coorg.





Possible route of radiation





Habitat in Southern India



Habitat in Northeastern India



Habitat overlaps with Lutra lutra in the range



Current status

Area searched/information collected	Status
North India	的 种的
Corbett Tiger Reserve	No records
Upper catchemnt of Dehra Dun	No records
Dudhwa and Katerniaghat WLS	No records
East/Northeast India	
Sunderbans	Doubtful
Similipal Tiger Reserve	Doubtful
Assam (zoo)	Confirmed
Pakke Tiger Reserve, Arunachal Pradesh	Confirmed
Keibul Lamjao National Park, Manipur	Doubtful
South India	
Periyar Tiger Reserve, Kerala	Confirmed
Eravikulum National Park, Kerala	Confirmed
Annamali Wildlife Sanctuary, Tamil Nadu	Confirmed

Conclusion

- Though the species seems to be stable in many parts of its eastern range the Western range is shrinking especially along the foot hills of Himalayas
- Few Protected Areas in the Western
 Ghats and Northeast India still seems
 to be holding sizeable population,
 however their status needs to be
 ascertained.

Acknowledgements

- · Columbus zoo, USA
- Dust Lombardy
- Organizers of the X IOC
- Director, WII and Dean, WII
- State Forests Departments –
 Uttarakhand, UttarPradesh, Assam,
 Arunachal Pradesh, Orissa, Kerala
 and Tamil Nadu